

Common Tomato Diseases in Florida

Fungal

Late Blight



Phytophthora infestans

Gray Leaf Spot



Stemphyllium spp.

Anthracnose



Colletotrichum spp.

Timber Rot




Sclerotinia sclerotiorum

Early Blight



Alternaria tomatophila / *A. solani*

Powdery Mildew



Olidium neolycopersici,
Leveillula taurica

Black Mold



Alternaria alternata

Fusarium Crown & Root Rot



Fusarium oxysporum f.sp. *radicis-lycopersici*

Target Spot



Corynespora cassicola

Leaf Mold



Pseudocercospora fuligena

Southern Blight



Athelia rolfsii

Fusarium Wilt



Fusarium oxysporum f.sp. *lycopersici*


Bacterial

Bacterial Spot



Xanthomonas euvesicatoria pv. *perforans*

Bacterial Speck



Pseudomonas syringae pv. *tomato*

Bacterial Wilt



Ralstonia solanacearum


Viral

Tomato Yellow Leaf Curl



Tomato yellow leaf curl virus

Tomato Mottle



Tomato mottle virus

Tobacco Mosaic



Tobacco mosaic virus

Tomato Spotted Wilt & related viral diseases



Tomato spotted wilt virus, Tomato chlorotic spot virus, Groundnut ringspot virus



Gary E. Vallad, Professor of Plant Pathology, University of Florida, Plant Pathology Department, Gulf Coast Research and Education Center, Wimauma, FL.
gvallad@ufl.edu; 813-419-6670

Developed and produced by Dr. Gary E. Vallad with photo contributions from Lyle J. Buss.